

Report Number: SHFT251200069571**Sample name:** i-Bar**Report to:** Multi Home Builder Sdn. Bhd.**Laboratory name:** SGS-CSTC Standards Technical Services Co.,Ltd Suzhou Branch**SGS ID:** SHFT2512000695HS M1
SHFT2512000695HS M2**Address:** No. 32-01, Jalan SiLC 1/14, Kawasan Perindustrian SiLC, 79200 Iskandar Puteri, Johor, Malaysia.**Laboratory address:** 3/4/F., Building 1, Liandong U Valley, No.200 Xingpu Road, Suzhou Industrial Park, Suzhou, Jiangsu, China**Sample Model No:** N/A**Manufacturer:** N/A**Test Laboratory address:** Building 66, No. 100, Xianlie Middle Road, Guangzhou, China**Sample Quantity:** 1**Manufacturer Address:** N/A**Generic Description:** iBar Air Quality Improvement System
Date Received: 2025-12-21**Test Method:** Refer to Appendix E of QB/T 2761-2024 to test the spatial removal efficiency of microorganisms at 0.5h, 1h, 1.5h, and 2h and report the result of removal rate.

Sample photo

**Disclaimer:**

The above samples and information are provided and confirmed by the customer, SGS is not responsible for verifying the accuracy, appropriateness and / or completeness of the information provided by the customer.

Without the written consent of the institution, the client shall not use the results for improper publicity without authorization.

The test report shall only be used for client scientific research, teaching, internal quality control, product research and development, etc...and just for client internal reference.

Approved by:

Legend Xue
SGS IBR Laboratory Manager

Revision	Editorial or Technical	Description	Release Date
		Initial Release	2026-01-23

Page 1 of 3

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS Report Number: SHFT251200069571

Performed for: Multi Home Builder Sdn. Bhd.

Test Date: 2025-12-23~2026-01-16

Location: No. 32-01, Jalan SiLC 1/14, Kawasan Perindustrian SiLC, 79200 Iskandar Puteri, Johor, Malaysia.

Received Date: 2025-12-21

Contact: Mr Cheng Yok Kiong

Test Method: Refer to Appendix E of QB/T 2761-2024 to test the spatial removal efficiency of microorganisms at 0.5h, 1h, 1.5h, and 2h and report the result of removal rate.

Sample & Steup Information

Description of Sample: Rectangular Equipment
Customer ID: N/A
SGS ID: SHFT2512000695HS M1
Test Microorganism: Salmonella enterica subsp. enterica serovar Typhimurium CMCC(B) 50115
Pseudomonas aeruginosa ATCC 15442
Chamber size: 10m³

Removal rate - Summary

The test microorganism	Action time	Serial Number	Control group		Test group	
			The amount of bacteria in the air (cfu/m ³)	Natural decay rate (%)	The amount of bacteria in the air (cfu/m ³)	Target pollutant (microbial) removal rate (%)
Salmonella enterica subsp. enterica serovar Typhimurium CMCC (B) 50115	0 h	1	1.2×10 ⁵	/	1.1×10 ⁵	/
		2	1.1×10 ⁵	/	1.3×10 ⁵	/
		3	1.2×10 ⁵	/	1.2×10 ⁵	/
	0.5 h	1	1.1×10 ⁵	8.33	6.5×10 ⁴	35.54
		2	9.9×10 ⁴	10.00	6.9×10 ⁴	41.03
		3	1.1×10 ⁵	8.33	7.0×10 ⁴	36.36
	Average					37.64
	1 h	1	9.5×10 ⁴	20.83	4.9×10 ⁴	43.72
		2	8.6×10 ⁴	21.82	5.1×10 ⁴	49.82
		3	9.6×10 ⁴	20.00	5.2×10 ⁴	45.83
	Average					46.46
	1.5 h	1	8.3×10 ⁴	30.83	3.6×10 ⁴	52.68
		2	7.3×10 ⁴	33.64	3.4×10 ⁴	60.59
		3	8.4×10 ⁴	30.00	3.7×10 ⁴	55.95
	Average					56.41
	2 h	1	7.0×10 ⁴	41.67	2.3×10 ⁴	64.16
		2	6.3×10 ⁴	42.73	2.2×10 ⁴	70.45
		3	7.2×10 ⁴	40.00	2.5×10 ⁴	65.28
	Average					66.63

SGS Report Number: SHFT251200069571

Performed for: Multi Home Builder Sdn. Bhd.

Test Date: 2025-12-23~2026-01-16

Location: No. 32-01, Jalan SiLC 1/14, Kawasan Perindustrian SiLC, 79200 Iskandar Puteri, Johor, Malaysia.

Received Date: 2025-12-21

Contact: Mr Cheng Yok Kiong

Test Method: Refer to Appendix E of QB/T 2761-2024 to test the spatial removal efficiency of microorganisms at 0.5h, 1h, 1.5h, and 2h and report the result of removal rate.

Sample & Steup Information

Description of Sample: Rectangular Equipment
Customer ID: N/A
SGS ID: SHFT2512000695HS M2
Test Microorganism: Salmonella enterica subsp. enterica serovar Typhimurium CMCC(B) 50115
Pseudomonas aeruginosa ATCC 15442
Chamber size: 10m³

Removal rate - Summary

The test microorganism	Action time	Serial Number	Control group		Test group	
			The amount of bacteria in the air (cfu/m ³)	Natural decay rate (%)	The amount of bacteria in the air (cfu/m ³)	Target pollutant (microbial) removal rate (%)
Pseudomonas aeruginosa ATCC 15442	0 h	1	1.1×10 ⁵	/	1.1×10 ⁵	/
		2	9.6×10 ⁴	/	9.9×10 ⁴	/
		3	1.1×10 ⁵	/	1.2×10 ⁵	/
	0.5 h	1	1.0×10 ⁵	9.09	7.2×10 ⁴	28.00
		2	8.3×10 ⁴	13.54	6.8×10 ⁴	20.55
		3	9.8×10 ⁴	10.91	7.7×10 ⁴	27.98
	Average					25.51
	1 h	1	8.7×10 ⁴	20.91	5.4×10 ⁴	37.93
		2	7.2×10 ⁴	25.00	5.2×10 ⁴	29.97
		3	8.6×10 ⁴	21.82	5.9×10 ⁴	37.11
	Average					35.00
	1.5 h	1	7.8×10 ⁴	29.09	4.4×10 ⁴	43.59
		2	6.3×10 ⁴	34.38	4.4×10 ⁴	36.89
		3	7.4×10 ⁴	32.73	4.3×10 ⁴	46.73
	Average					42.40
	2 h	1	6.4×10 ⁴	41.82	3.2×10 ⁴	50.00
		2	5.3×10 ⁴	44.79	2.8×10 ⁴	48.77
		3	6.4×10 ⁴	41.82	3.4×10 ⁴	51.30
	Average					50.02

Note:

- Method description: Turned on the sample and acted for 0.5h/1h/1.5h/2h, then used six mesh impact type air microorganism sampler JWL-6 to sampling with air volume of 28.3 liters per minute; The volume of test chamber was 10m³.
- The natural decay of the microorganisms in the air has been eliminated.

—End of Report —

Page 3 of 3

SGS's TEST REPORT ONLY REFLECTS SGS'S EVALUATION OF THE SAMPLE AND DOES NOT REFLECT THE EVALUATION OF THE BATCH OF GOODS FROM WHICH THE SAMPLE WAS TAKEN