


Report Number: SHFT250900049372**Sample name:** iBracket**Report to:** MULTI HOME BUILDER SDN BHD**Laboratory name:** SGS-CSTC Standards Technical Services Co.,Ltd Suzhou Branch**SGS ID:** SHFT2509000493HS M2**Address:** No.32a, Jalan SILC 1/14, Kawasan Perindustrian SILC, 79200, Iskandar Puteri, Johor, Malaysia.**Laboratory address:** 3/4/F., Building 1, Liandong U Valley, No.200 Xingpu Road, Suzhou Industrial Park, Suzhou, Jiangsu, China**Sample Model No:** N/A**Manufacturer:** N/A**Test Laboratory address:** Building 66, No. 100, Xianlie Middle Road, Guangzhou, China**Sample Quantity:** 1**Manufacturer Address:** N/A**Generic Description:** Air Purifier
Date Received: 2025-09-03**Test Method:** Referring to GB/T 18801-2022 Air Cleaner, customised testing of air purifier's Formaldehyde removal rate, continuously monitor the concentration of Formaldehyde for 2h and report the result of removal rate.

Sample photo



Disclaimer:

The above samples and information are provided and confirmed by the customer, SGS is not responsible for verifying the accuracy, appropriateness and / or completeness of the information provided by the customer.

Without the written consent of the institution, the client shall not use the results for improper publicity without authorization.

The test report shall only be used for client scientific research, teaching, internal quality control, product research and development, etc...and just for client internal reference.

Approved by:


Legend Xue
SGS IBR Laboratory Manager

Revision	Editorial or Technical	Description	Release Date
		Initial Release	10/29/2025

Page 1 of 2

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS Report Number: SHFT250900049372

Performed for: MULTI HOME BUILDER SDN BHD

Test Date: 2025-09-08

Location: No.32a, Jalan SILC 1/14, Kawasan Perindustrian SILC, 79200, Iskandar Puteri, Johor, Malaysia.

Received Date: 2025-09-03

Contact: Mike Cheng Yok Kiong

Test Method: Referring to GB/T 18801-2022 Air Cleaner, customised testing of air purifier's Formaldehyde removal rate, continuously monitor the concentration of Formaldehyde for 2h and report the result of removal rate.

Sample & Steup Information

Description of Cleaner: Pink solid
Customer Cleaner ID: N/A
SGS Cleaner ID: SHFT2509000493HS M2
Challenge: Formaldehyde
Chamber size: 20m³

Removal rate - Summary

Test pollutant(s)	Action time	The concentration of the blank test chamber at 0h(mg/m ³)	The concentration of the blank test chamber after test(mg/m ³)	Natural decay rate(%)	NO.	The concentration of the sample test chamber at 0h(mg/m ³)	The concentration of the sample test chamber after test(mg/m ³)	Removal rate(%)
Formaldehyde	2h	0.948	0.927	2.22	1	0.942	0.842	8.59
					2	0.954	0.815	12.63
					3	0.951	0.833	10.42
					Average			10.55

—End of Report —

Page 2 of 2

SGS's TEST REPORT ONLY REFLECTS SGS'S EVALUATION OF THE SAMPLE AND DOES NOT REFLECT THE EVALUATION OF THE BATCH OF GOODS FROM WHICH THE SAMPLE WAS TAKEN